

CONCEPT1T

2-zone 100 volt integrated mixing amplifier



For a long time, installers worldwide have been unhappy with consumer electronics and they were looking for a professional integrated amplifier for use in commercial environments, boardrooms or small businesses designed for 24/7 operation. Therefore Apart developed the CONCEPT1T, a stereo or two mono channel (2 x 60 watts in 100 volt) amplifier for small and medium-sized projects.

This CONCEPT1T 100 volt integrated mixing amplifier can operate with one stereo zone, two volume-linked zones or two individual-volume zones. The unit can be controlled via RS232 what makes integration into your AV solution possible.

The built-in limiters and system design guarantee a failsafe solution 24 hours a day, 7 days a week.

To make the life of the end-user as easy as can be, the CONCEPT1T has user settings and installer settings. Only the absolute necessary features like volume, tone control and source selection can be adjusted by the end-user. The other advanced settings (operation mode settings, maximum music and mic volume, gain input adjustment, automatic loudness on/off, paging on/off per zone) can be configured and secured by the installer.

TECHNICAL SPECIFICATIONS

dynamic output power 8 ohms in watts	2 x 75	minimum impedance load per channel in ohms	167
power consumption (max) in watts	<200	19" (483 mm wide) rack mounting	yes
depth (incl front) in mm	314	power supply	230 VAC
line input unbalanced	4	cooling system	convection
applicable in 100V	yes	Net weight product (kg)	8.20

MORE PICTURES



ACCESSORIES



MICPAT-2

Selective 2-zone paging station



CONCEPT1-RC

Remote control for Concept1 amplifier